

SECTION 1 Identification

1.1. GHS Product identifier

Product name : MDF Nu Green MR50
 Grade : NuGreen MR50

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Product usage : Furniture, cabinets, finishing.

1.4. Supplier's details

Uniboard Canada Inc.
 5555 rue Ernest-Cormier
 Laval, Qc H7C 2S9
 Canada
 T 450-664-6000

1.5. Emergency phone number

Emergency number : Centre Anti-Poison: (800) 463-5060

SECTION 2 Hazard identification

****This product is not dangerous in the form in which it is shipped by the manufacturer, but can become dangerous through downstream (for exemple: grinding, sanding, cutting, spraying) that reduce its particule size. These hazard are described below. The classifications below are based on wood dust and the polymer component.****

2.1. Classification of the substance or mixture

Classification (GHS CA)

Respiratory sensitization, Category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity, Category 1B	H350	May cause cancer.
Specific target organ toxicity, Repeated exposure, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of H-statements: see section 16

2.2. GHS label elements, including precautionary statements

GHS CA labelling

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 - May cause an allergic skin reaction
 H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)
according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

Precautionary statements

- H350 - May cause cancer.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read and understood.
- P260 - Do not breathe dust, fume, gas, mist, vapours, spray.
- P272 - Contaminated work clothing should not be allowed out of the workplace.
- P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
- P284 - Wear respiratory protection.
- P302+P352 - IF ON SKIN: Wash with plenty of water.
- P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P308+P313 - IF exposed or concerned: Get medical advice or attention.
- P314 - Get medical advice or attention if you feel unwell.
- P321 - Specific treatment (see supplemental first aid instruction on this label).
- P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
- P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or a doctor.
- P362+P364 - Take off contaminated clothing and wash it before reuse.
- P405 - Store locked up.
- P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate	CAS-No.: 101-68-8	1.5 – 7
Paraffin waxes	Slack wax (petroleum); Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C20.]	CAS-No.: 64742-61-6	0.5 – 1.5
Urea	-	CAS-No.: 57-13-6	0.1 – 1
Wood (woody fibres)	-	N/A	85 – 94

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions	: Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment	: Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store locked up.
Packaging materials	: Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (Diphenylmethane-4,4'-diisocyanate; MDI)
OEL TWA	0.05 mg/m ³
	0.005 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Methylene bis(4-phenyl isocyanate) (MDI, 4,4'-Diphenylmethanediisocyanate)
VEMP (OEL TWA _{EV})	0.051 mg/m ³
	0.005 ppm
Notations and remarks	EM, S
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
OEL C	0.01 ppm
Notations and remarks	S(R) (respiratory sensitization)

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
Notations and remarks	TLV® Basis: Resp sens
Regulatory reference	ACGIH 2024
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
Notations and remarks	TLV® Basis: Resp sens
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
Notations and remarks	TLV® Basis: Resp sens
Regulatory reference	ACGIH 2024
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
OEL STEL	0.015 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
OEL STEL	0.015 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Isocyanates, organic compounds - Methylene bisphenyl isocyanate (MDI)
OEL TWAEV	0.005 ppm
OEL C	0.02 ppm
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
Notations and remarks	TLV® Basis: Resp sens
Regulatory reference	ACGIH 2024

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OEL TWA	0.005 ppm
OEL STEL	0.015 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
USA - ACGIH - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
ACGIH OEL TWA	0.005 ppm
Remark (ACGIH)	TLV® Basis: Resp sens
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Methylene bisphenyl isocyanate (MDI)
OSHA PEL C	0.2 mg/m³
	0.02 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:
Protective gloves

Eye protection:
Safety glasses

Skin and body protection:
Wear suitable protective clothing

Respiratory protection:
[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Panel.
Colour	: Various colours
Odour	: Wood
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: 246 – 475 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Explosive limits	: Not applicable
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
ATE CA (Gases)	4500 ppmv/4h
ATE CA (vapours)	11 mg/l/4h
ATE CA (dust,mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

Respiratory or skin sensitization	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
IARC group	3 - Not classifiable

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
------------------------	--

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
-------------------	------------------

MDF Nu Green MR50	
Viscosity, kinematic	Not applicable

Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Urea (57-13-6)	
EC50 72h - Algae [1]	24541.9 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
Persistence and degradability	Rapidly degradable

Paraffin waxes (64742-61-6)	
Persistence and degradability	Not rapidly degradable

Urea (57-13-6)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

14.1. UN Number

Not regulated for transport

14.2. UN Proper Shipping Name

Proper Shipping Name (TDG)	: Not regulated
Proper Shipping Name (DOT)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated

14.3. Transport hazard class(es)

TDG
Transport hazard class(es) (TDG) : Not regulated

DOT
Transport hazard class(es) (DOT) : Not regulated

IMDG
Transport hazard class(es) (IMDG) : Not regulated

IATA
Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group, if applicable

Packing group (TDG)	: Not regulated
Packing group (DOT)	: Not regulated
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)

according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

15.1. National regulations

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)

Listed on the Canadian DSL (Domestic Substances List)

Urea (57-13-6)

Listed on the Canadian DSL (Domestic Substances List)

Canada DSL NDSL Flags

Significant New Activity (SNAc) provisions of the Act apply

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Urea (57-13-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.2. International regulations

UNITED STATES OF AMERICA

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Paraffin waxes

CAS-No. 64742-61-6

0.5 – 1.5%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

4,4'-methylenediphenyl diisocyanate;
diphenylmethane-4,4'-diisocyanate

CAS-No. 101-68-8

1.5 – 7%

MDF Nu Green MR50

Safety Data Sheet

according to Hazardous Products Regulation (WHMIS Revision 7-8)
according to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations (HAZCOM Revision 7-8)

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)	
Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	5000 lb

California Proposition 65 - Piercing, sawing, sanding or shaping wood products creates wood dusts, a substance recognized for causing cancer according to the state of California. Avoid inhaling wood dusts or use a dust mask or other personal protection measures.

SECTION 16 Other Information

Issue date : 5/13/2020
Revision date : 4/4/2025
Supersedes : 5/13/2020

Full text of hazard classes and H-statements:	
H317	May cause an allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet (SDS), Canada- USA - Toxyscan 2025

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.